

TREFLAN[®]

MICROACTIV
HERBICIDE (GR 3)

ECONOMICAL GROUP 3 GRANULAR HERBICIDE FOR PULSES, CANOLA AND SPECIALTY CROPS

Treflan[®] MicroActiv[™] Herbicide is a broad-spectrum, residual, grassy and broadleaf weed herbicide specially suited for minimum and zero till fields.

MANAGE HERBICIDE RESISTANCE

As a Group 3 herbicide, Treflan[®] Microactiv[™] is an excellent resistance management tool when used alone or as a base layer in a herbicide layering program.

PRE-EMERGENT YIELD ADVANTAGE

Treflan[®] Microactiv[™] controls weeds as they germinate, getting your crop off to a fast, clean start to maximize yield potential. Treflan should be used in fields where wild oats are not the primary concern.

REGISTERED CROPS	Lentils (fall only), peas, canola, mustard, flax (fall only), dry beans, soybeans, fababeans, sunflowers, alfalfa establishment, clovers, bird's-foot trefoil
WEEDS CONTROLLED	Green foxtail*, yellow foxtail, barnyard grass, brome (Japanese, downy), Persian darnel, wild buckwheat, pigweed, lamb's-quarters, cow cockle, chickweed, purslane, knotweed *Does not include trifluralin-resistant green foxtail.
WEEDS SUPPRESSED	Wild oats
ACTIVE INGREDIENT	Trifluralin - Group 3 - dinitroaniline
FORMULATION + PACKAGING	10% granular available in 453.6 kg minibulks or 22.7 kg bags
CROP ROTATION	Do not seed oats, sugarbeets, timothy, canary seed, or creeping red fescue the year after using Treflan. Do not seed wheat if trifluralin and/or ethalfluralin were used in consecutive years.
APPLICATION FOR BEST RESULTS	Use of a properly calibrated Valmar or floater is essential. <ul style="list-style-type: none"> • Fall application should take place when the average soil temperature at a depth of 5cm is 4°C or less and within 3 weeks of soil freeze up. This situation generally occurs by October 1 across Western Canada. • A single heavy harrow pass is sufficient for incorporation in minimum or zero-till fields. Two passes are recommended in conventional-till fields.

RATES

% Organic Matter	Sandy, sandy loam	Loam, silty clay loam, silt loam, clay loam, silt, silty clay, sandy clay loam, clay
2-6% OM	11 kg/ha (10 lbs/ac)	14 kg/ha (12.5 lbs/ac)
6-15% OM	14 kg/ha (12.5 lbs/ac)	14-17 kg/ha* (12.5-15 lbs/ac)

*Higher rate for heavier wild oat infestations

For more information call 1-800-960-4318, email info@gowanco.com or visit gowanCanada.com.

MicroActiv[™] and Treflan[®] are registered trademarks of Gowan Company, L.L.C. PCPA Reg. No. 21742. ALWAYS READ AND FOLLOW LABEL DIRECTIONS.

Gowan[®]
CANADA